

### CALGreen Construction Waste Reduction Requirements

Occupancy	Requirements and Applications	
	2010 Triennial Edition- including 2012 update (effective 1/1/2011)	2013 Triennial Edition (effective 01/01/2014)
<b>Non-Residential Compliance Methods (5.408)</b>	≥ 50% C&D Waste Diversion or ≤ 2 lbs/ft <sup>2</sup> disposal (5.408.1) and may be required to submit a construction waste management plan (5.408.1.1) or utilize a waste management company (5.408.1.2)	No change
New Construction	Permitted Structures	No change
Demolition	n/a	Permitted Structures
Additions (301.3)	≥2,000 ft <sup>2</sup>	≥1,000 ft <sup>2</sup>
Alterations (301.3)	≥\$500,000	≥\$200,000
Isolated Jobsites	Exception may apply (5.408.2)	Alternate waste reduction methods may apply (see "Exceptions to 5.408.1.1 and 5.408.1.2")
Tier 1 (Voluntary) (A5.408.3.1)	≥ 65% Construction Waste Diversion	≥ 65% Construction and Demolition Waste Diversion
Tier 2 (Voluntary) (A5.408.3.1.1)	≥ 80% Construction Waste Diversion	≥ 80% Construction and Demolition Waste Diversion
<b>Residential Compliance Methods (4.408)</b>	≥ 50% C&D Waste Diversion and may be required to submit a construction waste management plan (4.408.2) or utilize a waste management company (4.408.3)	No change
Low-rise-3 stories or less (4.408.4)	≥ 50% C&D Waste Diversion or ≤ 4 lbs/ft <sup>2</sup> disposal	≥ 50% C&D Waste Diversion or ≤ 4 lbs/ft <sup>2</sup> disposal
High-rise-4 stories or more (4.408.4.1)	n/a	≥ 50% C&D Waste Diversion or ≤ 2 lbs/ft <sup>2</sup> disposal
New Construction	Permitted Structures	No change
Demolition	Permitted Structures	No change
Additions (301.1)	n/a	Yes*
Alterations (301.1)	n/a	Yes*
Tier 1 (Voluntary)(A4.408.1)	≥ 65% C&D Waste Diversion	No change
Tier 2 (Voluntary)	≥ 75% C&D Waste Diversion	No change

\*CALGreen Section 301.1 applies to additions or alterations of existing residential buildings where the addition or alteration increases the building's conditioned area, volume, or size. Applies only to and or within the specific area of addition or alteration.