Water System Name: City of Rio Vista

Report Date: June 2013

# THIS IS YOUR WATER QUALITY REPORT FOR 2012 WHICH IS SENT OUT TO EVERY UTILITY CUSTOMER. PLEASE KEEP THE REPORT AS IT IS A GOOD REFERENCE FOR COMMONLY ASKED QUESTIONS SUCH AS WATER HARDNESS INFORMATION WHEN INSTALLING A WATER SOFTENER, SODIUM LEVELS, FLOURIDE ADDITIVES, ETC.

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 - December 31, 2012

# Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

**Type of water sources(s) in use:** According to CDPH records, Wells 07, 08, 09, 10, 11, and 12 are Groundwater. This Assessment was done using the Default Groundwater System Method. This info is not available for Wells 13, 14, 15, and Booster Station, as they do not have a completed assessment on file. Please see the Drinking Water Source Assessment Information section located at the end of this report for more details.

Your water comes from 7 sources: Well 07, Well 09, Well 10, Well 11, Well 12, Well 14, Well 15 and Booster Station.

For more information about this report, or for any questions relating to your drinking water, please call (707) 374-6451 and ask for Public Works, ext. 1122, or visit our website at <u>www.rio-vista-ca.com</u>

TERMS USED IN	THIS REPORT:
Maximum Contaminant Level (MCL): The highest level of	Primary Drinking Water Standards (PDWS): MCLs for
a contaminant that is allowed in drinking water. Primary MCLs	contaminants that affect health along with their monitoring and
are set as close to the PHGs (or MCLGs) as is economically	reporting requirements, and water treatment requirements.
and technologically feasible. Secondary MCLs are set to	
protect the odor, taste, and appearance of drinking water.	Secondary Drinking Water Standards (SDWS): MCLs for
	contaminants that affect taste, order, or appearance of the
Maximum Contaminant Level Goal (MCLG): The level of	drinking water. Contaminants with SDWSs do not affect the
a contaminant in drinking water below which there is no known	health at the MCL levels.
or expected risk to health. MCLGs are set by the U.S.	
Environmental Protection Agency.	Treatment Technique (TT): A required process intended to
	reduce the level of a contaminant in drinking water.
Public Health Goal (PHG): The level of a contaminant in	
drinking water below which there is no known or expected risk	Regulatory Action Level (AL): The concentration of a
to health. PHGs are set by the California Environmental	contaminant which, if exceeded, triggers treatment or other
Protection Agency.	requirements which a water system must follow.
Maximum Residual Disinfectant Level (MRDL): The	Variances and Exemptions: Department permission to
highest level of a disinfectant allowed in drinking water. There	exceed an MCL or not comply with a treatment technique
is convincing evidence that addition of a disinfectant is	under certain conditions.
necessary for control of microbial contaminants.	
	<b>ND:</b> not detectable at testing limit
Maximum Residual Disinfectant Level Goal (MRDLG):	<b>ppm:</b> parts per million or milligrams per liter (mg/L)
The level of a drinking water disinfectant below which there is	<b>ppb:</b> parts per billion or micrograms per liter $(\mu g/L)$
no known or expected risk to health. MRDLGs do not reflect	<b>ppt:</b> parts per trillion or nanograms per liter (ng/L)
the benefits of the use of disinfectants to control microbial	<b>ppq:</b> parts per quadrillion or picograms per liter (pg/L)
contaminants.	<b>pCi/I:</b> picocuries per liter (a measure of radioactivity)

**The sources of drinking water**(both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, spring, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- *Inorganic contaminants*, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- *Pesticides and herbicides,* which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Radioactive contaminants, which can be naturally occurring or the result of oil production and mining activities.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

**In order to ensure that tap water is safe to drink,** the U.S. Environmental Protection Agency (USEPA) and the California Department of Health Services (Department) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Tables 1,2,3,4 and 5 list all of the drinking water contaminants that were detected during the most recent sampling for the constituents. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 - SAMPLING RESULTS FOR SODIUM AND HARDNESS								
Chemical or Constituent	Sample	Level	Range of	MCL	PHG			
(and reporting units)	Date	Detected	Detections	(MRDL)	(MCLG)	<b>Typical Sources of Contaminant</b>		
Sodium (ppm)	2012	186	179 - 196	none	none	Salt present in the water and is generally naturally occurring		
Hardness (ppm)	2012	74	67 - 79	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring		

TABLE 2 - DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD								
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL (MRDL)	PHG (MCLG) [MRDLG]	Typical Sources of Contaminant		
Aluminum (Al) ppm	2010	0.003	ND - 0.01	1	0.6	Erosion of natural deposits; residue from some surface water treatment processes		
Arsenic (As) ppb	2012	9.1	5 - 18	10	n/a	Erosion of natural deposits; runoff from orchards, glass and electronics production wastes		
Barium (Ba) ppm	2010	0.03	0.03 - 0.04	1	2	Discharge from oil drilling wastes and from metal refineries; erosion of natural deposits		
Chromium (Total Cr) ppb	2010	1	ND - 2	50.0	n/a	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits		
Fluoride (F) ppm	2012	0.3	0.3 - 0.3	2	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories.		

TABLE 2 - DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD									
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL (MRDL)	PHG (MCLG)	Typical Sources of Contaminant			
					[MRDLG]				
Nickel	2010	0.3	ND - 1	100	12	Erosion of natural deposits; discharge			
ppb						from metal factories			
Nitrate (NO3)	2012	6.7	3 - 12	45	45	Runoff and leaching from fertilizer use;			
ppm						leaching from septic tanks and sewage; erosion of natural deposits			
Nitrate + Nitrite as N	2010	1.5	ND - 2.6	10	10	Runoff and leaching from fertilizer use;			
ppm						leaching from septic tanks and sewage;			
						erosion of natural deposits			
Selenium (Se)	2010	9.3	2 - 19	50	30	Discharge from petroleum, glass, and			
ppb						metal refineries; erosion of natural			
						deposits; discharge from mines and			
						chemical manufacturers; runoff from			
						livestock lots(feed additive)			
Gross Alpha	2010	1.5	1 - 2	15	n/a	Erosion of natural deposits.			
pCi/L									
Total Radium 228	2010	0.43	ND - 0.9	5	n/a	Erosion of natural deposits			
pCi/L									

Any violation of MCL, AL or MRDL is shaded. Additional information regarding the violation is provided later in this report.

TABLE 3 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD								
Chemical or Constituent	Sample	Level	Range of	MCL	PHG			
(and reporting units)	Date	Detected	Detections	(MRDL)	(MCLG)	Typical Sources of Contaminant		
Chloride	2012	69	66 - 74	500	n/a	Runoff/leaching from natural deposits;		
ppm						seawater influence		
Iron (Fe)	2012	60	ND - 200	300	n/a	Leaching from natural deposits;		
ppb						Industrial		
						wastes		
Manganese (Mn)	2012	23	ND - 50	50	500	Leaching from natural deposits		
ppb								
Specific Conductance	2012	748	667 - 855	1600	n/a	Substances that form ions when in water;		
umhos/cm						seawater influence		
Sulfate (SO4)	2012	39.3	26 - 56	500	n/a	Runoff/leaching from natural deposits;		
ppm						industrial wastes		
TDS	2012	426	380 - 470	1000	n/a	Runoff/leaching from natural deposits		
ppm								

TABLE 4 - DETECTION OF UNREGULATED CONTAMINANTS								
Chemical or Constituent	Sample	Level	Range of	Notification	Health Effects Language			
(and reporting units)	Date	Detected	Detections	Level				
Boron	2012	1	1 - 2	1	The babies of some pregnant women who			
ppm			(2012)		drink water containing boron in excess of			
					the notification level may have an			
					increased risk of developmental effects,			
					based on studies in laboratory animals.			
Vanadium	2010	0.001	ND - 0.004	0.05	The babies of some pregnant women who			
ppm			(2010)		drink water containing vanadium in			
					excess of the action level may have an			

#### TABLE 4 - DETECTION OF UNREGULATED CONTAMINANTS Chemical or Constituent (and reporting units) Sample Date Level Detected Range of Detections Notification Level Health Effects Language increased risk of developmental effects, based on studies in laboratory animals. Increased risk of developmental effects, based on studies in laboratory animals.

## 2012Consumer Confidence Report

TABLE 5 - DETECTION OF FEDERAL DISINFECTANT/DISINFECTANT BYPRODUCT RULE								
Chemical or Constituent	Sample	Level	Range of	MCL	PHG			
(and reporting units)	Date	Detected	Detections	(MRDL)	(MCLG)	Typical Sources of Contaminant		
Total Trihalomethanes	2012	14.6	ND - 18.9	80	n/a	By-product of drinking water disinfection		
(TTHMs)								
ppb								
Haloacetic Acids (five)	2012	0.6	ND - 3	60	n/a	By-product of drinking water disinfection		
ppb								

#### **Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care provider. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)

**For Lead (Pb),** If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. *City of Rio Vista* is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

#### Summary Information for Contaminants Exceeding an MCL, MRDL, or AL, or a violation of Any Treatment Technique or Monitoring and Reporting Requirement

For Arsenic (As) results above 5 ppb up to and including 10 ppb: Some people who drink water containing arsenic in excess of the MCL over many years could experience skin damage or problems with their circulatory system, and may have an increased risk of getting cancer.

#### **Drinking Water Source Assessment Information**

#### **Assessment Info**

A source water assessment was conducted for the WELL 07, WELL 08, WELL 09, WELL 10, WELL 11, and WELL 12 of the CITY OF RIO VISTA water system in December, 2002. According to the Drinking Water Source Assessment and Protection Program's Source Water Assessments Public Access web page, the Public Water Sources WELL 13, WELL 14, and WELL 15 of the CITY OF RIO VISTA water system number 4810004, do not have a completed Source Water Assessment on file.

- Well 07 The source is considered most vulnerable to the following activities not associated with any detected contaminants: Historic gas stations Known Contaminant Plumes
- Well 09 The source is considered most vulnerable to the following activities not associated with any detected contaminants: Sewer collection systems
   Wells - Oil, Gas, Geothermal
- Well 10 The source is considered most vulnerable to the following activities not associated with any detected contaminants: Septic systems - high density [>1/acre]
- Well 11 The source is considered most vulnerable to the following activities not associated with any detected contaminants: Golf courses Housing - high density [>1 house/0.5 acres] Wells - Water supply
- Well 12 The source is considered most vulnerable to the following activities not associated with any detected contaminants: Golf courses Housing - high density [>1 house/0.5 acres] Wastewater treatment plants
- Well 13 No completed TurboSWAP Assessment on file.

Well 14 - No source code, State ID pending. No completed TurboSWAP Assessment on file.

Well 15 - No source code, State ID pending. No completed TurboSWAP Assessment on file.

Booster Station - No source code. No completed TurboSWAP Assessment on file.

#### **Discussion of Vulnerability**

All wells in the City of Rio Vista water system are currently on line. Assessment summaries are not available for some sources. This is because:

- The Assessment has not been completed. Contact the local Department of Health Services (DHS) Drinking Water field office or the water system to find out when the Assessment is scheduled to be done.
- The source is not active. It may be out of service, or new and not yet in service.
- The Assessment was not submitted electronically. The site used to obtain Assessments only provides access to Assessment summaries submitted electronically.

#### Acquiring Info

A copy of the complete assessment may be viewed at: www.riovista.city.com

You may request a summary of the assessment be sent to you by contacting: Dave Melilli Director of Public Works (707) 374-6747

For more info you may visit <u>http://swap.ice.ucdavis.edu/TSinfo/TSintro.asp</u> or contact the health department in the county to which the water system belongs.